rotocol N	Name:	L	UMBAI	R SPINE	WITH	CONT	RAST	ADUL	LT					
INDICATIONS:			Evaluation of lumbar abscess or infection.				LABEL:				SCOUT*, LUMBAR *. The * means anything after these beginnings will hang correct i pacs			
V CONTI	RAST:		100 cc nonionic contrast. 2cc/sec injection. 22ga or better IV.				RECON 1:				.625mm thick/.625 mm interv Std recon at 400ww/40wl. W 3 mm COR and SAG MPRs.			
ORAL CC	NTRA	ST:	None				REC	CON 2:			2.5mm thick /2.5 mm interval Std recon 400ww/40wl.			
PATIENT POSITIONING AND SCAN AREA:			Patient supine. Feet first. Arms above head. Landmark at lower sternum. Above L1 to S1 or check with Radiologist or ordering doctor about which levels to scan. No gantry angle.				ADDITIONAL POST PROCESSING:			ir	Usually none. Send 0.625 images to awwkstn1 if 3D is needed.			
GENERA GUIDELI		M	2.5 x 2.5 mm axial images with 3 mm sag and cor recons. 160 DFOV.								Send scout, 2.5 axials, and SA and COR recons to pacs.			
RIGGER ONTRA		AY	70 second delay				ARCHIVE:							
ECHNIQ GUIDELI	UE		120 kvp. Smart MA on.				BILL AS:				Usually lumbar CT with contrast			
				SCOL	IT PRC	TOCO	I SFI	TIN SO	CANNE	R				
Scan Start Type Loc		End Loc			kV		mA		Scout Plane			Voice Lights Timer		
Scout S0.00 Above c		S0.00		1500.00		120		40 a	nd 20	90 and	90 and 0		N	
		Above chest		Illiac crest										
			A	XIAL IN	AGE		OCOL	SET I	N SCAN					
Scan Type	Start Loc	End Loc	Thick Speed	Interval (mm)	Gantry Tilt	SFOV	kv	ma	DFOV	Show Recon1	Show Recon2	Show Recon3	Direct Vis	
Helical Full 0.7 sec rotation	S0.0 Mid T12 or ask rad/Dr. for levels	1200.0 S1 or ask rad/Dr. for levels	0.625 39.37 0.984:1	0.625	S0.0	Large Body	120	650 22.10~ Smart mA On DR 40%	16.0	0.625mm Bone+ 2000ww 200wl For recons SS60	2.5mm Bone+ 2000w 350l Send to Pacs SS40	2.5mm Std 400ww 40wl Send to Pacs SS40	On 3mm Cor and Sag Send to Pacs	